

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	51604A Rev B
Registration number	-
Synonyms	None.
Issue date	26-May-2015
Version number	10
Revision date	11-Feb-2021
Supersedes date	19-Dec-2020
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
1.3. Details of the supplier of th	e safety data sheet
	HP Inc UK Ltd, Regulatory Enquiries, Earley West
	300 Thames Valley Park Drive, Reading, RG6 1PT
Telephone	+44 20 7660 0596 (Consumer)
	+44 20 7660 0403 (Commercial)
HP Inc. health effects line	
	4 000 457 4000
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an animal study. See Section 11.

Skin sensitization	Category 1	H317 - May cause an allergic skin reaction.
Reproductive toxicity (fertility, the unborn child)	Category 1B	H360 - May damage fertility or the unborn child.
Specific target organ toxicity - repeated exposure	Category 2 (kidney)	H373 - May cause damage to organs (kidney) through prolonged or repeated exposure.

2.2. Label elements

Contains:

Health bazarda

Label according to Regulation (EC) No. 1272/2008 as amended

2-pyrrolidone, Ethylene glycol, Tetrakis(tetramethylammonium) 6-amino-4-hydroxy-3-(7-sulfonato-4-(4-sulfonatophenylazo)-1-naphthylazo)naphthalene-2,7-disulf onate

Hazard pictograms



Hazard statements	
H317	May cause an allergic skin reaction.
H373	May cause damage to organs (kidney) through prolonged or repeated exposure.
H360	May damage fertility or the unborn child.
Precautionary statements	
Prevention	
P280	Wear protective gloves/protective clothing/eye protection.
P202	Do not handle until all safety precautions have been read and understood.
P201	Obtain special instructions before use.
P260	Do not breathe mist or vapor.
Response	
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P314	Get medical attention/advice if you feel unwell.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
Storage	Not available.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	None.
2.3. Other hazards	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.
	Complete toxicity data are not available for this specific formulation.
SECTION 3: Composition/	/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water		30-40	7732-18-5 231-791-2	-	-	
Classification:	-					
2-pyrrolidone		<30	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;H3	19, Repr.	1B;H360			
Ethylene glycol		<25	107-21-1 203-473-3	01-2119456816-28-XXXX	603-027-00-1	#
Classification:	Acute Tox. 4;	H302, ST	OT RE 2;H373			
1,2-hexanediol		<7.5	6920-22-5 230-029-6	01-2119987321-35-XXXX	-	
Classification:	Eye Irrit. 2;H3	19				
Tetrakis(tetramethylamn 6-amino-4-hydroxy-3-(7- 4-sulfonatophenylazo)-1 naphthalene-2,7-disulfor	sulfonato-4-(-naphthylazo)	<5	116340-05-7 405-170-3	01-0000015470-78-XXXX	611-020-00-X	
Classification:	Acute Tox. 3;	H301, Ski	in Sens. 1;H317, Aqu	atic Chronic 3;H412		
composition comments	This ink	supply co	ontains an aqueous ir	nk formulation.		
				imit 3%. Mixture classificati mals. No adverse effects or		

SECTION 4. First alu mea	Suies
General information	Not available.
4.1. Description of first aid meas	ures
Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.

Eye contact	Do not rub eyes. Immediately flush w least 15 minutes or until particles are		
Ingestion	If ingestion of a large amount does o	ccur, seek medical attention.	
.2. Most important symptoms nd effects, both acute and elayed	Not available.		
.3. Indication of any nmediate medical attention nd special treatment needed	Not available.		
SECTION 5: Firefighting m	leasures		
eneral fire hazards	Not available.		
.1. Extinguishing media Suitable extinguishing media	Dry chemical, CO2, water spray or re	egular foam.	
Unsuitable extinguishing media	None known.		
.2. Special hazards arising rom the substance or mixture	Not available.		
.3. Advice for firefighters Special protective equipment for firefighters	Not available.		
Special fire fighting procedures	Not available.		
pecific methods	None established.		
SECTION 6: Accidental rel	lease measures		
.1. Personal precautions, protec For non-emergency personnel	ctive equipment and emergency pro Wear appropriate personal protective		
For emergency responders	Not available.		
.2. Environmental precautions	Do not let product enter drains. Do n		
.3. Methods and material for ontainment and cleaning up	Dike the spilled material, where this i or diatomaceous earth, commercial s		
.4. Reference to other ections	Not available.		
SECTION 7: Handling and	storage		
.1. Precautions for safe andling	Avoid contact with skin, eyes and clo	thing.	
.2. Conditions for safe torage, including any ncompatibilities	Keep out of the reach of children. Ke	ep away from excessive heat o	r cold.
.3. Specific end use(s)	Not available.		
SECTION 8: Exposure cor	trols/personal protection		
.1. Control parameters			
occupational exposure limits			
UK. EH40 Workplace Exposu Components	ure Limits (WELs) Type	Value	Form
Ethylene glycol (CAS 107-21-1)	STEL	104 mg/m3	Vapor.
		40 ppm	Vapor.
	TWA	52 mg/m3	Vapor.
		10 mg/m3	Particulate.
		20 ppm	Vapor.
EU. Indicative Exposure Lim Components	it Values in Directives 91/322/EEC, 2 Type	2000/39/EC, 2006/15/EC, 2009 Value	/161/EU, 2017/164/EU
eempenente			

EU. Indicative Exposure Lim Components		Туре	·,, _ _	Value	-,
				40 ppm	
		TWA		52 mg/m3	
				20 ppm	
iological limit values	No biologica	l exposure limits not	ted for the ingredie	nt(s)	
ecommended monitoring	Not available	-			
rocedures					
erived no effect levels (DNELs)					
Components		Туре	Route	Value	Form
1,2-hexanediol (CAS 6920-22-	-5)	Worker	Inhalation	123 mg/m3	Systemic long term
2-pyrrolidone (CAS 616-45-5)		Consumers	Dermal	0.67 mg/kg bw/d	Systemic long term
			Inhalation	1.985 mg/m3	Systemic long term
		Workers	Oral Dermal	0.67 mg/kg bw/d	Systemic long term
		WORKERS	Inhalation	4.2 mg/kg bw/d 29.62 mg/m3	Systemic long term Systemic long term
Ethylene glycol (CAS 107-21-	1)	Consumers	Dermal	53 mg/kg	Systemic long term
	.,	••••••	Inhalation	7 mg/m3	Local long term
		Workers	Dermal	106 mg/kg	Systemic long term
			Inhalation	35 mg/m3	Local long term
redicted no effect concentratio	ns (PNECs)				
Components		Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)		Not applicable	Freshwater	0.5 mg/l	
			Intermittent	0.5 mg/l	Releases
			Marine water	0.05 mg/l	
			Sediment	0.4205 mg/kg	Freshwater
			Soil	0.0612 mg/kg	
Ethylene glycol (CAS 107-21-	1)	Not applicable	STP Freshwater	10 mg/l 10 mg/l	Sewage Treatment Plan
Ethylefie glycol (CAS 107-21-	")	Not applicable	Intermittent	10 mg/l	Releases
			Marine water	1 mg/l	1000000
			Sediment	37 mg/kg	Freshwater
			Sediment	3.7 mg/kg	Marine water
			Soil	1.53 mg/kg	
			STP	199.5 mg/l	Sewage Treatment Plan
xposure guidelines	Exposure lim	iits have not been e	stablished for this	product.	
UK EH40 WEL: Skin designa	tion				
Ethylene glycol (CAS 107	-21-1)	(Can be absorbed th	nrough the skin.	
2. Exposure controls					
ppropriate engineering	Use in a wel	ventilated area.			
dividual protection measures,	such as pers	onal protective eq	uipment		
General information	Not available	9.			
Eye/face protection	Not available	9.			
Skin protection					
- Hand protection	Recommend	ed gloves: Nitrile 4	mil minimum thickr	ness.	
- Other	Use persona	l protective equipme	ent to minimize exp	posure to skin and e	eye.
Respiratory protection	Not available	9.			
Thermal hazards	Not available	9.			
ygiene measures	Handle in ac	cordance with good	industrial hygiene	and safety practice	
nvironmental exposure ontrols	Not available	9.			
ECTION 9: Physical and	chemical p	oroperties			
1. Information on basic physic	al and chemic	al properties			
ppearance Physical state	Liquid.				

Form	Not available.
Color	Black.
Odor	Not available.
Odor threshold	Not available.
рН	7 - 7.4
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not determined
Flash point	> 200.0 °F (> 93.3 °C) Closed Cup EPA Method 1020
Evaporation rate	Not determined
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not determined
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Soluble in water
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not available.
9.2. Other information VOC	< 578 g/l Estimated
SECTION 10: Stability and	l reactivity
10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.

Stable under recommended storage conditions.
Will not occur.
Not available.
Incompatible with strong bases and oxidizing agents.
Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

-		
General information	Not available.	
Information on likely routes o	f exposure	
Inhalation	Inhalation may result in mild irritation to the respir	atory system.
Skin contact	May cause sensitization by skin contact.	
Eye contact	Contact with eyes may result in mild irritation.	
Ingestion	Ingestion is not a likely route of exposure.	
Symptoms	Not available.	
11.1. Information on toxicolog	gical effects	
Acute toxicity	Based on available data, the classification criteria LD50/oral/rat >2500 mg/kg (OECD 401).	are not met.
Components	Species	Test Results
2-pyrrolidone (CAS 616-45-5)		
Acute		
Oral		
LD50	Rat	> 5000 mg/kg

Components	Species	Test Results
Ethylene glycol (CAS 107-21-1)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	9530 mg/kg
Inhalation		
Aerosol		
LC50	Rat	> 2.5 mg/l, 6 Hours
Other		
LD50	Rat	2800 mg/kg
Skin corrosion/irritation	Based on available data, the classification criteria a Non irritant in rabbit (OECD 404)	re not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria a Not classified as an irritant according to, OECD 405	
Respiratory sensitization	Based on available data, the classification criteria a	re not met.
Skin sensitization	May cause sensitization by skin contact.	
Germ cell mutagenicity	Based on available data, the classification criteria a	re not met.
Carcinogenicity	Based on available data, the classification criteria a	re not met.
Reproductive toxicity	May damage fertility or the unborn child.	
	2-pyrrolidone: This component showed developmer pregnant test animals (OECD Testing Guideline 41- Uptake by people of small doses is not expected to has not caused adverse effects on sexual function of Testing Guideline 443: Extended One-Generation F	4: Prenatal Developmental Toxicity Study). cause developmental toxicity. This component or damage to fertility in an animal study (OECD
Specific target organ toxicity - single exposure	Based on available data, the classification criteria a	re not met.
Specific target organ toxicity - repeated exposure	May cause damage to organs (kidney) through prol	onged or repeated exposure by ingestion.
Aspiration hazard	Based on available data, the classification criteria a	re not met.
Mixture versus substance information	Not available.	
Other information	Complete toxicity data are not available for this spe Refer to Section 2 for potential health effects and S	

SECTION 12: Ecological information

12.1. Toxicity			
Product		Species	Test Results
51604A Rev B			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	> 750 mg/l, 96 hours
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow)		0.05	
2-pyrrolidone Ethylene glycol		-0.85 -1.36	
Bioconcentration factor (BCF)	Not available.	-1.00	
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB assessment		/PvB substance or mixture.	
12.6. Other adverse effects	Not available.		

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not dispose of together with general office waste. Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Ensure collection and disposal with an appropriately licensed waste contractor.

SECTION 14: Transport information

DOT

DOT	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	
Marine pollutant	No
Special precautions for user	
IATA	
UN number	Not available.
UN proper shipping name	Not available.
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	Not available.
Packing group	- Not available.
Environmental hazards	Not available. No
Special precautions for user	
IMDG	NOT available.
	Natavailable
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	- Nisk southells
Packing group	Not available.
Transport hazard class(es)	
Marine pollutant	No
EmS	Not available.
Special precautions for user	Not available.
ADR	
UN number	Not available.
UN proper shipping name	Not Regulated
Transport hazard class(es)	
Class	Not available.
Subsidiary risk	-
Hazard No. (ADR)	Not available.
Tunnel restriction code	Not available.
Packing group	Not available.
Environmental hazards	No Natavallakla
Special precautions for user	
Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.
	Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/200	4 On persistent organic pollutants, Annex I as amended	
Not listed. Regulation (EU) No. 649/201	2 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended	
Not listed.		
Regulation (EU) No. 649/201 Not listed.	2 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended	
	2 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended	
Not listed.		
Regulation (EU) No. 649/201 Not listed.	2 concerning the export and import of dangerous chemicals, Annex V as amended	
	6 Annex II Pollutant Release and Transfer Registry, as amended	
Not listed. Regulation (EC) No. 1907/20	06, REACH Article 59(10) Candidate List as currently published by ECHA	
Not listed. Authorizations		
	06, REACH Annex XIV Substances subject to authorization, as amended	
Not listed.		
Restrictions on use		
	06, REACH Annex XVII Substances subject to restriction on marketing and use as amended	
Not listed. Directive 2004/37/EC: on the	e protection of workers from the risks related to exposure to carcinogens and mutagens at	
work, as amended		
Not listed.		
Other EU regulations		
Directive 2012/18/EU on maj	or accident hazards involving dangerous substances, as amended	
Not listed.		
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.	
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.	
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).	
National regulations	Not available.	
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.	
SECTION 16: Other information		
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).	
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.	
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).	
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.	
Full text of any H-statements		

Full text of any H-statements not written out in full under Sections 2 to 15

H301 Toxic if swallowed. H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H360 May damage fertility or the unborn child. H373 May cause damage to organs through prolonged or repeated exposure by ingestion. H412 Harmful to aquatic life with long lasting effects.

Revision information Training information Disclaimer

None.

Follow training instructions when handling this material.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.	
Operational conditions		
Maximum duration	Up to 8 hours per day	
Frequency of exposure	< 240 days per year	
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions	
	followed.	
Risk management measures		
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.	
related to Personal Protection		
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.	
Equipment, hygiene and	Wear appropriate chemical resistent clothing.	
health evaluation	In case of inadequate ventilation wear respiratory protection.	
	Eye wash fountain and emergency showers are recommended.	
	Avoid breathing mist/vapours.	
	Avoid contact with skin, eyes and clothing.	
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.	
Good practice advice		
Use personal protective equipme	ent as required.	
Wash hands before breaks and a	after work.	
Keep good industrial hygiene and	d safety practice.	
Use only with adequate ventilati		
Do no eat, drink or smoke when		
Wash contaminated clothing be		
Store at room temperature.		
Environmental measures		
	in intercourse/unitercourselies	
Do not allow this material to dra		
-	ding to Local, State, Federal and Provincial Environmental Regulations.	
	ith appropriately licenced waste contractor.	
Use descriptors		
IS-Use at industrial sites		
PW-Widespread use by profession	onal workers	
SU7-Printing and reproduction n	nedia	
PC18-Inks and Toners		
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.	
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions	
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities	
ERC5-Use at industrial site leading		
	io inclusion into/onto article (indoor)	
Additional information on prod		
	s on the label, the classification of the mixture is provided.	
Most of the water based inks are		
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.		
All ingredients contributing to the classification are stated in Section 3 of the SDS.		
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.	
	zing ingredients that may cause allergic reaction to certain people.	
Section 2 of the SDS states these		
I	WB01 English.pdf	